

## Meeting Agenda

Water Quality Assessments and TMDL Process

Katie Conaway, VA Department of Environmental Quality

 Bacteria Source Assessment and TMDL Development

Raed El-Farhan, The Louis Berger Group, Inc.


Questions



- Learn about water quality in the tidal, freshwater portion of the Rappahannock River.
- Explain efforts that Virginia is undertaking to improve and protect water quality.
- Learn what you can do to help.

# How do we know if water bodies in Virginia are healthy?

- Perform physical and chemical monitoring on water bodies throughout the state.
- Monitor parameters such as:
- · pH
- . Temperature
- . Dissolved Oxygen
- . Health of Biological Community
- . Bacteria
- · Nutrients
- . Fish Tissue
- . Metals/Toxic Pollutants



## What do you do with the monitoring data that is collected?

Compare the data collected to the water quality standards.

- Water Quality Standards:
  - Regulations based on federal and state law.
  - Set numeric and narrative limits on pollutants.
  - Consist of designated use(s) and water quality criteria to protect the designated uses.
- Designated Uses:
  - Recreational
  - Aquatic Life
  - Public Water Supply

- Wildlife
- Fish Consumption
- Shellfish









# What happens when a water body doesn't meet water quality standards?

- Waterbody is listed as "impaired" and placed on the 303(d) list.
- Once a water body is listed as impaired, a Total Maximum Daily Load value must be developed for that impaired stream segment to address the designated use impairment.

# What is a TMDL? Total Maximum Daily Load

TMDL = Sum of WLA + Sum of LA + MOS

#### Where:


TMDL = Total Maximum Daily Load

WLA = Waste Load Allocation (point sources)

LA = Load Allocation (nonpoint sources)

MOS = Margin of Safety

## An Example TMDL



### Required Elements of a TMDL


#### A TMDL must:

- Be developed to meet Water Quality Standards.
- Be developed for critical stream conditions.
- Consider seasonal variations.
- Consider impacts of background contributions.
- Include wasteload and load allocations (WLA, LA)
- Include a margin of safety (MOS).
- Be subject to public participation.
- Provide reasonable assurance of implementation.

## TMDL Development Methodology

1. Identify all types of sources of a given pollutant within the watershed.





- 2. Calculate the amount of pollutant entering the stream from each source type.
- 3. Enter available data into a computer model. Model simulates pollutant loadings into the watershed.
- 4. Use the model to calculate the pollutant reductions needed, by source, to attain Water Quality Standards.
- 5. Allocate the allowable loading to each source and include a margin of safety.

#### Three Step TMDL Process in Virginia

TMDL Development - find the source of the pollutant & determine the reduction needed.

2.

Implementation Plan Development - identify conservation measures to fix the problem. Conservation measures are often called Best Management Practices or BMPs.




Implement the BMPs and sample to see improvement.



## What does this mean for the Rappahannock River?

- TMDL study is being done for a portion of the Tidal Freshwater Rappahannock River.
- Does not meet the Recreational Use exceeds the water quality standards for Fecal Coliform and E. Coli Bacteria.

Stream Name	Locality	Impairment	Area (mi²)	Upstream Limit	Downstream Limit
Rappahannock River	Fredericksburg Caroline King George Spotsylvania Stafford	Fecal Coliform and E. Coli Bacteria	3.8	Fall Line at the Route 1 Bridge in Fredericksburg	Confluence with Mill Creek, below the Route 301 Bridge



#### **Exceedance Rates for Rappahannock River**

	Monitoring Station	Station Location	Exceedance Rate Recorded for the 2006 Assessment (01/01/2000 – 12/31/2004)	
			Fecal Coliform	E. Coli
	3-RPP110.57	Route 1 Bridge	6 of 13 samples (46.2%)	5 of 11 samples (45.4%)
	3-RPP107.91	One hundred yards below the Fredericksburg Wastewater Treatment Facility	3 of 16 samples (18.8%)	N/A
	3-RPP104.47	100 yards below the Massaponax Creek Wastewater Treatment facility	N/A	2 of 7 samples (28.6%)
	3-RPP098.81	Buoy 112	N/A	2 of 13 samples (15.4%)
	3-RPP091.55	Buoy 89	N/A	3 of 13 samples (23.1%)
	3-RPP080.19	Route 301 Bridge	N/A	2 of 14 samples (14.3%)

# What are Fecal Coliform Bacteria and E. Coli Bacteria?

Coliform Bacteria: Commonly found in soil, decaying vegetation, animal feces, and raw surface water.

#### Escherichia coli:

- subset of fecal coliform bacteria.
- Correlate better with swimming associated illness.

#### **Fecal Coliform:**

- Found in the digestive tract of humans and warm blooded animals.
- Indicator of the potential presence of pathogens in water bodies.

## Potential Sources of Fecal Coliform Bacteria












# What is the Water Quality Standard for Bacteria?

Indicator	Status	Instantaneous Maximum (cfu/100mL)	Geometric Mean (cfu/100 mL)
Fecal Coliform	Old	1,000	200
E. coli	New	235	126
Fecal Coliform	Interim	400	200

- Changes went into effect on January 15, 2003
- Both New E. coli and Interim Fecal Coliform criteria apply
- Fecal coliform criteria will be phased out entirely once 12 *E. coli* samples have been collected or after June 30, 2008
- In order for a water body to be listed as impaired:
  - There must be at least two samples that exceed the water quality criterion.
  - Greater than 10.5% of the total samples must be exceedances.

## Tidal Freshwater Rappahannock Bacteria TMDL Project Milestones





**Katie Conaway** 

Virginia Department of Environmental Quality

**Regional TMDL Coordinator** 

Phone: (703) 583-3804

E-mail: mkconaway@deq.virginia.gov

**Bryant Thomas** 

Virginia Department of Environmental Quality

**Water Quality Programs** 

Phone: (703) 583-3843

E-mail: bhthomas@deq.virginia.gov

Raed El-Farhan

The Louis Berger Group, Inc.

Phone: (202) 303-2645

E-mail: relfarhan@louisberger.com

